



MARYLAND DEPARTMENT OF THE ENVIRONMENT

1800 Washington Boulevard • Baltimore MD 21230
410-537-3000 • 1-800-633-6101

Issued Date: July 31, 2009
Expiration Date: June 30, 2010

Martin O'Malley
Governor

Shari T. Wilson
Secretary

Anthony G. Brown
Lieutenant Governor

Robert M. Summers, Ph.D.
Deputy Secretary

SDWA ANNUAL CERTIFIED PARAMETER LIST

Martel Laboratories JDS, Inc
1025 Cromwell Bridge Road
Balimore, MD 21286

I. Stephen Jaworiwsky
Certificate # 107
EPA ID # MD00028

Table with 3 columns: ANALYTE, METHOD, STATUS. Lists various chemical analytes and their corresponding EPA methods and certification status.



MARYLAND DEPARTMENT OF THE ENVIRONMENT

1800 Washington Boulevard • Baltimore MD 21230

410-537-3000 • 1-800-633-6101

Issued Date: July 31, 2009
Expiration Date: June 30, 2010

Martin O'Malley
Governor

Shari T. Wilson
Secretary

Anthony G. Brown
Lieutenant Governor

Robert M. Summers, Ph.D.
Deputy Secretary

SDWA ANNUAL CERTIFIED PARAMETER LIST

Martel Laboratories JDS, Inc
1025 Cromwell Bridge Road
Balimore, MD 21286

I. Stephen Jaworiwsky
Certificate # 107
EPA ID # MD00028

ANALYTE	METHOD	STATUS
Dibromoacetic acid	EPA 552.2	Certified
Dichloroacetic acid	EPA 552.2	Certified
Dichloromethane	EPA 524.2	Certified
E. coli	SM 9221F	Certified
E. coli (enumeration)	SM 9221F	Certified
E. coli	SM 9223	Certified
Ethylbenzene	EPA 524.2	Certified
Fecal Coliforms	SM 9221E	Certified
Fluoride	SM 4500F-C	Certified
Fluoride	EPA 300.0	Certified
Heterotrophic Plate Count	SM 9215B	Certified
Lead	EPA 200.8	Certified
Mercury	EPA 245.1	Certified
Monobromoacetic acid	EPA 552.2	Certified
Monochloroacetic acid	EPA 552.2	Certified
Nitrate	SM 4500NO ₃ -D	Certified
Nitrate	EPA 300.0	Certified
Nitrite	SM 4500NO ₂ -B	Certified
Nitrite	EPA 300.0	Certified
Selenium	EPA 200.8	Certified
Styrene	EPA 524.2	Certified
Tetrachloroethylene	EPA 524.2	Certified
Thallium	EPA 200.8	Certified
Toluene	EPA 524.2	Certified
Total Coliforms	SM 9221B	Certified



MARYLAND DEPARTMENT OF THE ENVIRONMENT

1800 Washington Boulevard • Baltimore MD 21230
410-537-3000 • 1-800-633-6101

Issued Date: July 31, 2009
Expiration Date: June 30, 2010

Martin O'Malley
Governor

Shari T. Wilson
Secretary

Anthony G. Brown
Lieutenant Governor

Robert M. Summers, Ph.D.
Deputy Secretary

SDWA ANNUAL CERTIFIED PARAMETER LIST

Martel Laboratories JDS, Inc
1025 Cromwell Bridge Road
Balimorc, MD 21286

I. Stephen Jaworiwsky
Certificate # 107
EPA ID # MD00028

Table with 3 columns: ANALYTE, METHOD, STATUS. Rows include Total Coliforms (enumeration), Total Coliforms, Total Coliforms, Total Trihalomethanes, trans-1,2-Dichloroethene, Trichloroacetic acid, Trichloroethylene, Vinyl Chloride, (total) Xylenes.